

Group A 3m ~ 1/7 or 2/7

{ G 0038 of F 3592 + New 96 - 40A1 }	13/6	29/5
		7 32 ans
	3,75	3,55 kg

{ LW 4708 06 17 - 0A2B }	14/6
	07 70 ans
	4,025 kg

(o) { A 0614 06 F7 - 9F36 }	5/7
	m 07
	495 g

(o) { A 0617 06 202 - FE6E }	6/7
	m 07
	380 g

(o) { A 0619 06 202 - 80A9 }	6/7
	m 9
	485 g

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Gruppe B 4m e 1/7

A φ56φ ♂ 17/6
9400
188-6386 4,45g

⊙ A φ6φ5 06 2/7
m ♂
202-723A 435g

⊙ A φ6φ6 ♂ 2/7
m ♀
201-88A7 375g

⊙ A φ563 ♂ 2/7
m ♀
201-9909 385g

⊙ A φ565 06 3/7
m ♂
202-FE30 400g

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Gruppe C

F 3546 06
-
202-8F4D

30/5
Y 0
2,025 kg

G 8541 09
-
1FB-4EB3

14/6
8 401
4,7 kg

C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe D 4 m 6 7/7

$\left. \begin{array}{l} \cdot \} F 9562 \quad \omega \\ \hline \end{array} \right\} 1F\phi - 3428$

 15/6
 y f
 2,275g

$\left. \begin{array}{l} \cdot \} - \\ \hline \end{array} \right\} 11 - \phi A 5 F$

 15/6
 9 7 ans
 4,050g

$\left. \begin{array}{l} \circ \} A \phi 575 \quad \omega \\ \hline \end{array} \right\} 202 - 67 \phi F$

 7/7
 m f
 360g

$\left. \begin{array}{l} \circ \} A \phi 516 \quad \omega \\ \hline \end{array} \right\} 1c8 - \phi 5 \phi \phi$

 8/7
 m \rightarrow
 360g

$\left. \begin{array}{l} \circ \} A \phi 518 \quad \omega \\ \hline \end{array} \right\} 202 - F 7 F A$

 8/7
 m \rightarrow
 375g

D
 E
 F
 G
 H
 I
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 YZ

Groupe E 3 m l 29/6

{ F 9517 06 28/5
 - y ♂
 [203 - 0865] 1,9 kg

{ F 3507 00 28/5
 - y ♀
 [202 - 7334] 2,125 kg

{ F 3506 06 29/5
 - y ♂
 [141 - 4580] 1,625 kg

{ A 0601 06 30/5
 • { A 0602 + R 00 ♂ Ad?
 [202 - 8343] 3,75 kg
 ancienne paille
 wrap!

(6) { A 4522 00 1/7
 - m ♀
 [202 - 83B1] 195 g

(6) { A 4644 06 1/7
 - m ♂
 [201 - 9614] 220 g
 "Dj Tyb"

E
 F
 G
 H
 I
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 YZ

A 0564 00
2/7
m 9
190 g
202-530C

F 9579 06
5/7
202
4,375 g
202-4820

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe F

• } G 8593 00 13/6 30/5
• } F 9598 + 00 06 3,0 kg 9 3 ans
137 - F 027 3,0 kg
emellér 00

• } G 8587 06 30/5
• } - 02 4 ans
14 - 4 B 78 4,25 kg

• } F 9515 00 18/6
• } A 4521 + 51 06 7 9
135 - A 7 A 3 2,275 kg

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Group G

F 9583 OG

30/5

→ 2 ans

3,625 kg

202 - FE98

G 8575 OG

31/5

→ 9 ans

4,275 kg

1E - A259

G 8507 OG

27/6

→ 3 ans

5,050 kg

201 - 964E

A 6610 + R OG

3/7

F 9523 OG

→ 2 ans

1CT - 1194

4,025 kg

v. cur de d'aler

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe I fm 2 1/7

<ul style="list-style-type: none"> F 035 09 A 0524 + V d. 06 	<ul style="list-style-type: none"> 29/5 ♀ 6 ans
62 - 3005	4,225 kg
<ul style="list-style-type: none"> A 0625 09 - 	<ul style="list-style-type: none"> 29/5 ♀ Ad
00 - F53F	3,825 kg
<ul style="list-style-type: none"> MW 1562 06 - 	<ul style="list-style-type: none"> 29/5 ♂ 5 ans
71 - 6504	3,5 kg
	né en P1
<ul style="list-style-type: none"> A 0551 00 - 	<ul style="list-style-type: none"> 29/5 Y ♀
109 - 19 BC	2,25 kg
<ul style="list-style-type: none"> F 7560 00 - 	<ul style="list-style-type: none"> 30/5 Y ♀
128 - 162 B	2,175 kg
<ul style="list-style-type: none"> A 0600 06 A 0601 + Gen 09 	<ul style="list-style-type: none"> 30/5 ♂ 3 ans
125 - 31 B 8	4,125 kg
	ricut de E

I
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 YZ

F 3514 OG
30,5
Y 07
2,4 kg
25-32EF

A 0549 OG
31,5
Y 07
1,875 kg
202-7E21

A $\phi 6 \phi 8$ OG
217
m ϕ
475 g
202-946A

A $\phi 6 \phi 7$ OG
217
m ϕ
435 g
202-893F

A $\phi 6 \phi 9$
317
m ϕ
480 g
202-55E2

A $\phi 6 \phi 11$ OG
317
m ϕ
500 g
202-4B61

J
L
M
N
O
P
R
S
T
U
V
X
YZ

Groupe J

⊙ } A φ553 00
—
107-4616

14/16
♀ Ad
3,875 kg

⊙ } A φ554 06
—
202-4634

14/16
♂ Ad
3,875 kg

J
L
M
N
O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe L

2 m l 2716

(1) { A 4523 06 28/6
 - ps. Krupp m 87
 605g

{ F 9578 09 30/6
 - 9 Low
 3,905 kg
 134 - 91.64 vient de G

(2) { A 4517 06 8/7
 m 87
 875g
 1202 - 7C48

L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 YZ

Gruppe N2 1n + 1t e 26/6

⊙ { A 0501 00 28/5
 y ♀
 202 - F9FD 1,525 kg

• { F 9566 00 29/5
 y ♀
 202 - 384A 1,75 kg

⊙ { A 0562 06 27/6
 m ♀
 202 - 4F88 240g

Gruppe N ~~1n + 1t e 26/6~~
~~1m e 4/7~~

⊙ { A 0557 06 15/6
 y ♂
 202 - C769 2,125 kg

⊙ { A 0555 00 16/6
 y ♀
 202 - 118A 1,875 kg

• { A 0556 00 16/6
 G 8454 + J 06 ♀ Ad
 202 - BE0A 3,75 kg

• { A 0553 00 16/6
 A 0558 + R 06 y ♀
 202 - D9C3 2,525
 nice en F!

• { G 8554 06 16/6
 ♂ Ad
 202 - 44E9 4,0 kg

⊙ { A 0561 06 17/6
 y ♂
 202 - 53A7 1,675 kg

N
O
P
Q
R
S
T
U
V
W
X
Y
Z

F 96 00 + Vrj. 06 18/6
G 85 12 06 P 3ans
12F - E963 3,825

A 4567 00 4/7
- m ♀
202 - 5099 305g

A 4615 00 5/7
- m ♀
202 - 97BC 305g

A 4620 06 6/7
- m ♂
201 - 88BC 305g

A 4568 00 7/7
- m ♀
202 - 69B3 330g

O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe 0

G 8502 09
-
22-2944

13/6
♀ Ad
3,4 kg

G 8598 09
-
IF-969F

14/6
♂ Ad
3,35 kg

F 9524 09
-
203-4196

14/6
♀ 3rd
3,275 kg

F 9533 09
-
202-47A4
ex 134-8699

15/6
♀ 2nd
2,525 kg

O
P
Q
R
S
T
U
V
W
X
YZ

Gruppe P2

3m & 4/7

⊙ { A φ616 ♂
-
202-7838

5/7
m ♀
425g

⊙ { A φ618 ♂
-
70-9EFB

6/7
♀ 5aw
3,625kg

⊙ { A φ621 ♂
-
201-9844

7/7
y ♀
2,300kg

⊙ { A φ622 ♂
-
202-2FFD

7/7
m ♀
425g

⊙ { A φ55φ ♂
-
202-5A91

7/7
m ♂
520g

Gruppe P1

⊙ { F9551 ♂
-
134-ERCF

4/7
♀ A4
4,575kg

⊙ { G8531 ♂
-
201-9963

8/7
♂ 3aw
4,175kg

P
R
S
T
U
V
W
X
YZ

F 9545 OG 28/5
y →
203-2EJA 1,95 kg

F 9568 OG 28/5
y ♀
202-82F7 2,275 kg

A 0525 OG 29/5
E 8495 + Or ♂
1BB-5FA9 3,6 kg

F 7232 OG 30/5
7 sans
63-339C 4,0 kg
prob. gestant

A 0623 OG 7/7
m ♀
202-2EBE 355 g

A 0574 OG 8/7
m ♂
202-29E3 395 g

R
S
T
U
V
W
X
YZ

Groupe châlier 1 m le 3/7

F 9587 00 23/5
♀ 2ans
33 Kg
127-1194

LW 4743 06 14/6
Y 03
2,5 Kg
201-86BF

A 4603 AG 15/6
♂ 4ans
4,025 Kg
1BB-3E37
visuel de G

F 9587 00 15/6
♀ 2ans
3,475 Kg
13C-0E01

A 4566 00 5/7
m ♀
565g
202-450E

U
V
W
X
YZ

Group FAC

$\left\{ \begin{array}{l} G8408 \text{ OG} \\ A0552 \text{ OG} \\ BB - A \phi \rightarrow B \end{array} \right.$

1416
 \rightarrow 5 ans
3,9254

vient de B

FAC
X
YZ