

Groupe A 17 m v e 28-29/6

{ 619 OD 30/08 22/5
- ♀ Y
[202-8DA9] 225kg 2kg

{ F 9592 OD + bleu 16/06 22/5
G X 600 OG 28/06 ♀ 13ans
[96-4DA1] 4,27 4,75 4kg

{ A 630 OG 29/06 15/6 23/05
♂ Y
[F79 F36] 2,675 2,4 2kg

{ A 0617 OG 7/7 10/06 24/05
♂ Y
[202 FE6E] 2,3 15kg 1,375kg

{ A 0944 OG 5/7
A 0946 bl. v. d. m ♂
[17-70EA] 470g

{ A 0890 OG 6/7
A 0628 bl J m ♂
[202-3478] 535g

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

② { A692 OD bleu + orange
A693 OG
202-8EBA

817
on 0⁷
470

B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Gruppe B □ m e 30/6

{ A 0626 00 29/6 19/5 27/4
 - 2,4 y ♀
 201-88A7 1,75 1,35

{ A 0565 00 29/6 15/6 19/5
 - y ♂
 202-FE30 2,275 2 1,75 kg

27/6 { A 0710 00 26/5 13/6 19/5
 - y ♂
 202-723A 2,05 2,250 2,00 kg

{ A 0563 00 30/05
 - y ♂
 201-9909 1,9 kg

(A 7700 j + blau 2/7
 A 789 00- m ♂
 202-4B A9 530g

(A 838 00 j + wnt ♀ 1/7
 A 837 00- m ♂
 202-3E 24 505

B
 C
 D
 E
 F
 G
 H
 I
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 Y

? e | A0560 OG
A0822 J. Vencl
1RB-6386

3/7
♀ 50g
4, 25g

⊙ { A0867 OG
A0868 J. Vencl
201-8FEB

5/7
m ♂
540g

⊙ { A0695 OG
A0694 JR
202-4693

6/7
m ♂
585g

C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Groupe C 1 m e 28/6

• { G 8510 09 27/6
A 9660 + b/c R1 7 400
G4 - DA3F 4,500
v. int de c/E

• { G 8541 09 28/6
A 0919 + b/c R1 5 400
AFB - 4EB3 5,000

{ A 0847 06 30/6
⊙ A 0848 b/c R m 5
202 - 4835 5850

C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Group D

0181 OG- 207 28/05 24/05 22/05
♂ Y

202-4864 25 1,75 1,675

A632 OD + vent fence 25/05
A 675 OG ♂ Ado

202-4044 3,75kg

F9562 OD 28/05

HF0-3628 ♀ 2ans 3,6kg

D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Gruppe E □ m Co 29/6

7 { G 9556 oc 19/5
 10 { A 0519 + vtj. w 9 9aus
 16 - EC 43 4,2 kg E

{ A 1312 w 29/6
 A 1916 + J.O- 07 8aus
 10 - BDE 9 4,50 kg F

{ A 0674 w 29/6
 A 0672 J bleu m 9
 202 - 50 A 9 485 g G

{ A 0948 w 29/6
 A 0949 J ble anachies m 9?
 202 - 7A 36 485 g H

{ A 0774 oc 30/6
 A 0775 J vtj. m 9
 202 - 53 F 9 550 g I

{ F 9517 OG 1/7
 203 - Ø 865 4,35 J

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Groupe F

A 521 OG + blanc	22105
F 9515 OD	q 2ans
<u>M35 AFA3</u>	3,75 kg
<hr/>	
A0899 OG + rouge	23105
G 8592 OD	q 1ans
<u>M3 D6 DF1</u>	4 kg

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Group G □ m: sorted to 24-25/6

$\left\{ \begin{array}{l} F 9523 \text{ ♂} \\ A 0610 + R 06 \end{array} \right.$
26/6
♀ 3ans
4,375 kg

1 C 7 - 1194

$\left(\circ \right) \left\{ \begin{array}{l} A 1000 \text{ ♂} \\ A 0999 + R. hL \text{ ♂} \end{array} \right.$
27/6
m ♀
467g

$\left(\circ \right) \left\{ \begin{array}{l} A 0994 \text{ ♂} \\ A 8660 + R. vtd \text{ unattached} \end{array} \right.$
27/6
m ♀
440g

$\left(\circ \right) \left\{ \begin{array}{l} A 0548 \text{ ♂} \\ A 0911 + R. Vh j. \end{array} \right.$
27/6
m ♀
450g

00 - 2 E D F

$\left(\circ \right) \left\{ \begin{array}{l} A 0950 \text{ ♂} \\ A 0997 + R J \end{array} \right.$
27/6
m ♂
455g

202 - 445C

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Groupe H Γm e 4-5/7

$\left\{ \begin{array}{l} A050300 + \text{orange} \\ G 85360G \\ 135 8743 \end{array} \right.$
5/7 22105
lions d'
463 4,3kg

$\left\{ \begin{array}{l} A 964 06 \\ A 970 + \text{orange} \text{ ok} \\ 63-780F \end{array} \right.$
10/6
960w
4,25kg
nei e-C

$\left\{ \begin{array}{l} A 0744 06 \\ A 0743 Or ble \\ 202-9783 \end{array} \right.$
5/7
m 57
635g

$\left\{ \begin{array}{l} A 0736 06 \\ A 0345 \\ 202-8120 \end{array} \right.$
5/7
m 57
585g

$\left\{ \begin{array}{l} A 0871 00 \\ A 0870 Or ble \\ 10C-2FDF \end{array} \right.$
6/7
m 7
635g

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Groupe J

{ A 537 0D blanc + j
A 554 0G

202 4634

9/7
0² Ad
5,1 kg

Groupe I

{ A 0603 0G

202-5552

19/5
70²
2,25 kg

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Groupe Ibas

A 975 00 + blanc
F 9512 00-
202-389F

27/05
07 2ans

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

I bas gauche (face à la pente)

A9720G + orange
30/05
93 ans
3,75kg
14 18 A1B

⊙ { - † infanticide
3/7
m ♂
600g
→ Infanticide 1

Group C/E □ m: sortie 28/6

3/7 30/5 27/4
Y ♀
⊙ { -
202-29E3 2,45 2,1kg 1,8kg

⊙ { A 0599 19/5
Y ♀
203-0093 2,25kg

⊙ { T7232 OG 19/5
A0709 + ble OG ♀ 10ans
63-339C 4,0kg

⊙ { A 0707 00 31/5 20/5
Y ♀
202-31EE 2,125 2,125kg
= 203 077D

⊙ { A 0701 00 20/5
Y ♀
202-581B 1,55kg

⊙ { A 0825 OG 30/6 29/6
A 0850 Blen J m ♂
202-2E9E 475 460g

C/E
L
M
N
O
P
R
S
T
U
V
W
X
Y

① { A791 OD blank
A793 OG
202-4D53

~~1/7~~
~~57m~~
~~475~~

1/7
57m
475

② { A773 OG blank + R
A7720b
202-2E73

30/6
m 4
455

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y

Grouppe L \square m: Saize : 22-23k

$\left\{ \begin{array}{l} A0673 \text{ og} \\ A0671 + \text{VHJ} \\ 202-481C \end{array} \right.$ 29/6
m ♀
355g

$\left\{ \begin{array}{l} G8579 \text{ og} \\ A0749 + \text{VHJ R} \\ 122-5901 \end{array} \right.$ 29/6
♂ 5ans
5,100kg
+
né en C/E

$\left\{ \begin{array}{l} F8578 \text{ og} \\ 134-9164 \end{array} \right.$ 30/6
♀ 4ans
375g
+
dans
piège

$\left\{ \begin{array}{l} A7680D \text{ ventf kj} \\ A5440G \\ 202-3F3C \end{array} \right.$ 2/7
m ♂
385g

$\left\{ \begin{array}{l} A0748 \text{ og} \\ A0840 \text{ VHJ or} \\ 202-53BC \end{array} \right.$ 5/7
m ♂
425g

L
M
N
O
P
R
S
T
U
V
W
X
Y

N?



{ A843 OD m+noug
A842 OG
63.23C2 }

1/7
♂ 6 ans
3,75

{ ~~0502 OD~~
0810G → Infanticide's petits
12 FL4E9 } vient de N

3/7
♂ ad
3,675

N
O
P
Q
R
S
T
U
V
W
X
Y

Groupes N2 \square m € 28/6

(A 0060 OG + orange 1/07 23105
 F 9574 OD + orange-bleu q 3ans
 13 E1E3E 3,8 3,36kg

(A 0918 OG 29/6
 A 0917 + Or. vtd + I m ♂
 202 - 53 pφ 300g

(A 0697 OG 29/6
 A 0663 + Or. vt + I m ♀
 202 - 8E40 275g

(A 0546 OG 29/6
 A 0547 + Or. ble + I m ♀
 1Fφ - 5639 305g

(A 0545 OG + I 29/6
 A 0688 Or bleu inactive m ♀
 184 - D941 305g

(A 0800 OG 30/6
 A 0799 Or J + I m ♀?
 202 - 2962 260g

Groupes N

(0502 OD + bleu 22105
 081 OG- ♂ Ad
 12 F44E9 4kg

(A 0559 OD 22105
 12 FD9C3 (née en F) ♀ 2ans
 3,5kg

(A 555 OD 22105
 1C7 118A ♀ 2ans
 2,75kg

(A 526 OG 22105
 1C8C769 ♂ 2ans
 3kg

(A 629 OC- 23105
 - + ob jaune ♂ > 3ans
 202 4BDF 3,625kg

(0096 OG + vert foncé 23105
 - ♀ 6ans
 12 FE963 3,125kg

N
O
P
Q
R
S
T
U
V
W
X
Y

{ A0567 00 28/6 23/05
y q kano
3 120kg
1,3

{ A0568 00 12/06 23/05
y q
1,3 kg

{ A0615 00 26/05
y y
1,4 kg

O
P
Q
R
S
T
U
V
W
X
Y

Group 0

{ A 973 00 + rough
L 8502 00
222 004

30/05
g act
3,25 kg

P4 suck

{ A 0873 06
⑤) A 0815 06
202-2088

6/7
m 0
555g

{ A 0633 06
⑥) A 0634 06
202-78F0

6/7
m 0
610g

O
P
Q
R
S
T
U
V
W
X
Y

(A 583 00 + nonex 25/05
 (A 582 0G \rightarrow Ad
 202-7E67 3,5kg

(A 0682 0D 26/05
 42ans?
 202 608E 2,75kg

(A 0670 0D 5/7
 A 0543 blc vtj m ♀
 202-33C5 565g

(A 0764 0D 5/7
 A 0765 blc R m ♀
 201-8B66 540g

(A 0874 0G 6/7
 A 0969 bl Very m ♂
 203-4366 575g

(A 0738 0G 6/7
 A 0737 blc R m ♂
 202-4A8A 575g

(A 0631 0D + vert fonce 8/7 25/05
 F 9551 0G 534 9 Ad
 134 EBC3 3,94

(A 0969 0G + bleu 28/05
 NW 1522 0D \rightarrow gans
 19 CAE5 3,9kg
 vue le 23/05

(A 0941 0D 7/7
 A 0940 vt d bl m ♀
 202-4B44 445

(A 0641 0D 7/7
 A 0640 vt d Or m ♀
 202-3D02 485

(A 0639 0D 7/7
 A 0638 vt d R m ♀
 202-4ACC 500

(A 6960D vt cl + bleu 8/7
 A 987 0G m ♂
 202-8F36 470

P
 Q
 R
 S
 T
 U
 V
 W
 X
 Y

Groupes P~~1~~ P2 1 m

Ⓢ { A 700 00 + jaune 26/05
A 750 00- ♂? Adress
202 - FE 17 36 kg

{ A 974 00 + vent clair 28/05
A 0613 00 ♀ 6 ans
70 - SEFB 3,525 kg

Ⓢ { A 0665 ♂ 5/7
A 0664 VF R m ♀
203 - 506 545 g

P
~~Q~~
R
S
T
U
V
W
X
Y

Group checker □ m 6 30/6

([⊙]) { A 0798 OG 30/6
A 0849 J 6er m ♂
202-488A 510g

([⊙]) { A 0771 OG 25/09 30/6
A 0846 Vtd. R m ♂
202-7C3C vu 315g

{ A 797 00 Vtd m ~~117~~
A 794 OG ♂ 5a
1BB-3E37 ~~4,625~~

([⊙]) { A 0542 OG 5/7
A 0541 Vtd. Blk m ♂
202-51B6 585g

([⊙]) { A 0872 OG 6/7
A 0814 Vtd. J m ♂
203-078A 290g

21?

ch
R
S
T
U
V
W
X
Y

Group EAC [une 5/7]

(A0636 OF 7/7
A0837 RO m ♂
202-5103 670

(A711 OG rouge + blanc 8/7
A666 OD m ♀
203-441A 605

(A691 OD rouge + blanc 8/7
A690 OG m ♂
202-6E3B 640

R
S
T
U
V
W
X
Y