

A 01/07/2015

♂ 807 OD ⓪ 1608 23 17/05



956000003041029

♂ 1an
1400g

♂ 537 OG ⓪ 1608 22 16/05



956000003043006

♂ 1an
1300g

♂ 854 OD ⓪ 1606 20 16/05



956000003045276

♂ 1an
1750g

♂ 855 OD ⓪ 1605 19 16/05



956000003042937

♂ 1an
1375g

♂ 536 OG ⓪ 1605 18 16/05



956000003010978

♂ 1an
1350g

♂ 882 OG 938 26/05

292 OD + now yf

2♂ 2♂ 5F

♂ 10ans
4175



956000003015247

num ant

KØ29 CD
b 06 blanc

R80

14.106
fad
3.25g

dominante
allaitante

6F1E063



956000003009152

Ø95806

⊙1686

01/07



956000003012362

Ø90an
235g

Ø95906

⊙1687

01/07



956000003035294

Ø90a
230g

Ø9606

⊙1688

01/07



956000003039818

Ø90an
260g

Ø93806

⊙1699

02/07



956000003017007

250g
Ø90an

Ø939

⊙1697

02/07



956000003011698

Ø90an
270g

0838 00

01708

04/07
Pan
295g



956000003024525

B

A0449 OD 885 16/05
95 OG rose ♀ 11ans
3375g

69AE69C dominante
gestante



Ø329 OG 1502 18/05
284 OD+rose ♂ ad
Dominant 3400g

Transpondeur perdu (?)

B FAC

~29/06

Ø810 OG 1607 16/05
72 OD + blanc + ♂ ad



956000003016297

3800

vient

KØ2Ø2 OD 1254 23/05
75 OG blanc ♂ Sau

6F3E684

Dominante 3500

Allerivate



956000003009768

Ø399 OG 1304 28/05

6F204EB dominant 4 ans
vient de Fac 3750

Ø834 OG 1061 17/06
394 OD vert clair ♂ 8y

135B6C6 dominant père 3775



956000003012453

0994 0D

01678

29/06



956000003039295

Nuts

0.0a
480g

0957 06

01685

01/06



956000003028587

Bent

0.0a
25.545g

2c
mod p
act

1803872

Btal

27106



ØØ24 OG 1258 14/10
309 OD vert clair ♂ Sans
3500g

GF1F8BE dominant



Ø509 OD 1564 14/05
g 1an
1500g

7Ø8 D984



Ø556 OD 1563 14/05
g 1an
1550g

7Ø8E67F



Ø559 OG 1561 14/05
♂ 1an
1775g

7ØB1D4F



0547 00 1471

16/05

708C3D7

♀ 2am
3250



956000003013532



2106/15

Ø332 0D
357 0G + vent clean
6F1 E C B

1229

05/06

♀ 5am
3925g



956000003009897

communicate
allaitante

Ø814 0G @1660

27/06

♂ 0am

445g



956000003045085

Ø898 0G @1661

27/06

♂ 0am

430g



956000003019754

Ø976 0D @1665

28/06

♀ 0am

470g



956000003011305

ø154 007 © 1677



956000003014174

29/0
07 ©
4850

C le 21/06 F

Ø 808 OD 1458

1710

7ØB3F8E

♀ 2ans
2875g



956000003028396

21/06/05 Ø 577 OD 1520 21/10/05

2301 To 16/10/05
7Ø7 1C82 1675



956000003034980

Ø 576 OG 1519

14/10/05

706D18A

♂ 1an
2125



956000003032624

Ø 848 OG 1485

21/05

7ØB19C5

♂ 2ans
3375g



956000003011132

Kp 249 ON 988 22/05
293 OG rose ♀ 9 ans
albatante dominante 3625
ICF 2188



956000003014391

φ 859 OG 962 23/05
291 OD rose ♀ 9 ans
dominante 3500
IC82DF2



956000003014614

φ 997 OG 1629 21/06
20 ans
490g
Namu



956000003016172

φ 193 OG 1630 21/06
♀ 9 ans
430g



956000003012390

Uyo

2CE ≈ 86/080 2820
weld to 120

Ø952 OG 1600 16/10

708CB41



956000003011043

Ø563 OG 1598 16/10
Ø 1cm

7Ø8E2C3



956000003012749

Ø544 OG 1597 16/10
Ø 1cm

7Ø6A921



956000003013230

ØØØ7 OG 1442 29/10
Ø 2cm

70693E3



956000003011123

Ø4Ø9 OD 1134 29/10
488 OG blev dominant 97ans



956000003031537

AG7 FIA4 alligante 4050

Ø586 OG
461 OD blue

1079

23/05
♂ 8ans
3925

1359FA7

Dominant



9560000003038363

ØØ130D

1443

24/05

7Ø722EE

♀ 2ans
2000



9560000003015495

Ø813 OD

⊙ 1658

27/06

♀ 0ans
375g



9560000003010398

Ø812 OD

⊙ 1657

27/06

♀ 0ans
380g



9560000003015688

Ø811 OG

⊙ 1656

27/06

♂ 0ans

375g



9560000003030957

ØS34 0D © 1680

29/0



956000003040798

♀ 0a
350

ØS33 0G © 1681

29/0



956000003036827

♂ 0a
425g

CHA

Ø564 OG 1576 16/05
♂ 1an
1500g

7073D13



Ø561 OD 1555 17/05
♀ 1an
1695g

708DD7C



KØ814 OD 1376 14/05
♀ 3ans
3800g

706897E

dominante
gestante



Ø160 OD 1599 14/05
♀ 1an
1650

708C4AC



Ø182 OD 1596 14/05
♀ 1 an
1850



Ø878 OG 1567 14/05
♂ 1 an
1650

7Ø8 BDD7



~~Ø561 OD 1555 17/05
♀ 1 an
1625~~

Ø326 OD 1475 18/05
vient de ♀ 2 ans
7Ø8 B94A B-talus 3950



E 28/06

Ø 376 OG 16 81 17/05
351 OD neut claus ♂ 2an
708 C 297 capturé en Etalus 3750



Ø 172 OG 15 14 18/05
♂ 1an
1750

708 D 333



Ø 168 OG 15-12 18/05
♂ 1an
1925

708 F 481



A Ø 192 OD 11 36 27/05
32 OG + jours dominante ♂ 7a
20 24 Ø 52 all or tante 3750



Ø 867 OG 16 71 28/06
♂ Ours
370g



A0630 OG
F OD juvenile

1091 28/05
♂ Oars
Dominant 4500g

107C975



956000003038665

0866 OG

1672

28/06
♂ Oars



956000003011828

0874 OG

1673

28/06
♂ Oars
375g



956000003036569

0865 OD

1674

28/06
♀ Oars
350g



956000003014314

0864 OD

1675

28/06
♀ Oars
360g



956000003009524

Enter 22106 II

Ø5150G 1546 17/05
708 9697 ♂ 1 am
1800



Ø975 OG 1487 18/05
708 C Ø88 ♂ 2 am Exhert
3450



Ø198 OG 1542 20/05
70B 2894 ♂ 1 am
1800g



Ø373 OG 918 21/05
99/66 OD verk clair ♂ 10 am
2033 DD6 3750g
dominant



Ø 829 OD 1490 28/05

♀ 4 ans

708 DEAD 31/05



956000003011799

KØSS OD 1298 03/06

398 OG verk ♀ 4 ans

6F18858 dominante 3625g

allaitante



956000003046573

Ø 192 OG ⓪ 1631 22/06

♂ 0 ans



956000003026240

345g

Crayon

Ø 191 OG ⓪ 1632 22/06

♂ 0 ans



956000003036945

360g

Pinceau

Ø 819 OD ⓪ 1650 26/06

♀ 0 ans



956000003025852

370g

Stabilo

① 836

① i659



956000003037909

27/06
♂ Dan
430g

stylo

Etat

ØØØØ OG

1438

18/05

7Ø8 BCAS

vient de E

Ø 2ans
2950



ØØ94 OG

1440

18/05

6F20217

vient de E

Ø 2ans
3625 Hal



Ø333 OG

1409

19/05

7Ø72CGF

vient de E

Ø 3ans
4025g



ØØ93 OG

1439

20/05

7Ø88FB1

Ø 2ans
2500g



ØØ98 00

1297

28105

6F1EEBB

dominante

♀ 4 ans

+ 3500



956000003038361

F

25/06

KØ277 OG 1063 17/05
 74 OD blanc ♂ 8ans
 3975g

69ADFA1 dominant



956000003045570

AØ419 OD 1202 18/05
 8 OG+blanc ♀ 6ans
 dominante 3500 F
 2Ø2 68 EA allaitante



956000003009486

Ø881 OD 1467 20/05
 7Ø8Ø298 ♀ 2ans
 3250g



956000003023308

Ø943 OD 1644 25/06
 ♀ 2ans
 385g



956000003013089

Ø942 OD

⊙1643

25/06

g Oans

400g



956000003009477

Ø944 OD

⊙1645

25/06

g Oans

390g



956000003022702

Ø995 OG

⊙1652

26/06

g Oans

435g



956000003014189

G

Ø152 OG 1526 17/05
♂ 1an
7Ø8 BB3F 1750



956000003015719

Ø825 OG 1525 18/05
♂ 1an
7Ø8 BF43 1300



956000003012678

Ø858 OG 1528 21/05
♂ 1an
7Ø8 2787 1750g



956000003045277

AØ131 OG 1103 25/05
220D. jaune ♂ 7an
2Ø2 GGA2 4050



956000003010252

amincant

ø 226 OD

15 OG jawne

377

0806

♀ Kms

4125g

136410C

dominate



956000003013253

H

ØØ25 OD 1315 22/05
38 OD jaune ♀ 4ans
ØØØ6F1E F87 Dominant 3400g



ØØ72 OG 1371 29/05
33 OD jaune ♂ 2ans
70733 DF Dominant 4050g



Imiliev

02/07

Ø407 OG
463 OD+bleu

1101

18/05
♂ 7ans
4200g

134 4A 18

Dominant



Ø927 OG

1539

21/05
♂ 1an
2025g

7Ø6BETS



Ø557 OD

1560

23/05
♀ 1an
2175

7Ø8F225



Ø963 OD

Ø1698

02/07
♀ 0an
525g



→

Ø962 OG

⊙1696

02/07



956000003038029

♂ Dan
535g

Ø961 OG

⊙1700

02/07



956000003013301

♂ Cass
560g

Ø993 OG

⊙1701

03/07



956000003017145

♂ Dan
585g

I milloz

26/06

K Ø 36 OG

1326

18/05

dominant

♂ 4ans

35g OD+vert clair
6F9 Ø 230

3875g



956000003012231

Ø 176 OG

1578

21/05

♀ 1an

7 Ø 8 DC 53

2075g



956000003028488

Ø 208 OD

1437

22/05

355 OG vert clair

dominant ♀ ad

allaitante 400g

6F1F76D



956000003037900

Ø 565 OD

1573

25/05

7 Ø B3 DF4

♀ 1an
1900



956000003012574

Ø815 OG ⊙1655



956000003015716

27/06
Ø Oans
420g

Ø816 OG ⊙1654



956000003016554

27/06
Ø Oans
410g

Ø817 OG ⊙1653



956000003035966

27/06
Ø Oans
405g

Ø818 OG ⊙1676



956000003016519

28/06
Ø Oans
415g

L 24/06

Ø552 OD 1548

17/05
♀ 1cm
1300

7ø6 ACCC



956000003015960

Øø68 OD 1292
6F1F3A9 dominante
allaitante

19/05
♀ 4cm
3700



956000003042872

Ø827 OG 1319
358 OD vert daer

23/05
Ø 6cm
3875

6F3C230 dominant



956000003036522

Ø996 OG @ 1641

24/06
Ø 3cm
375g



956000003011770

TipkuF

Ø 157 OG (1639)

24/06



956000003013445

070an
345g

carapuce

Ø 156 OG (1640)

24/06



956000003009542

070an
310g

rondoudou

Ø 155 OG (1638)

24/06



956000003031521

070an
350g

recheur pikacheze

Ø 151 OD

(1642)

25/06



956000003039976

070an
330g

Sablétte

N 26106 E

Ø 555 OD 1553

16/105
♀ lan
1375g

7069 EAE



956000003009338

Ø 525 OD 1448

16/105
♀ lans
2900g

6F1E782



956000003046009

Ø 523 OG 1446

17/105
♂ lans
2675g

6F3C34E



956000003013285

Ø 378 OG 1099

17/105
♂ lans
3750g

468 OD bleu clair

13826D9 dominant



956000003044970

AØØ17 OD 1098
Ø487 OG blev

14/05
♀ 7ans
3650g

1E1 AB EØ dominante
gestante



~~Ø555 OD 1553 16/05
7Ø69 EAE ♀ 1an
1375~~

Ø5Ø2 OG 1565 17/05
7Ø8 DE A7 ♂ 1an
1250



Ø88Ø OG 1541 17/05
7Ø8 E561 ♂ 1an
1200



Ø188 OG

1544

18/10
♂ 1aw

7ØB 2575

1200



956000003011701

Ø524 Ⓞ

1447

Ø1/06
♀ 2aw
3375g

7Ø8 LEFD



956000003014244

Ø818 OG

Ⓞ1649

26/06
♂ 0aw
365g



956000003016587

Ø885 OG

Ⓞ1662

27/10
♂ 0aw
375g



956000003042812

Ø98Ø OG

Ⓞ1664

28/06
♀ 0aw
385g



956000003008996

№ 22/06

KØØØ4 OG 1309 29/05
71 OD blanc ♂ 4 ans
dominant 4250

6F1F3C8



956000003043722

Ø164 OD 1199 29/05
81 OG blanc ♀ 6 ans
Dominante 4425g
allaitante



956000003015473

Ø19Ø OD 1633 22/06
♀ 0 ans
450g
Tagada



956000003035077

Ø54Ø OG 1634 22/06
♂ 0 ans
445g



956000003037860

Haribo

→

0538 OD

1635

22/06



956000003035032

♀ Oars

425g

Smarties

0539 OG

1636

22/06



956000003009596

♂ Oars

450g

M&M's

N3

28106



ØØØ6 OD 1452

16/05
♀ 2ans
3100g

7089375



956000003010132

KØØ15 OD 1360
23 OG javne

14/05
♀ 3ans
3675g

6F3E363

dominante
allaitante



956000003014316

♂ Ø57106

15209

16/05
♂ 1an
1875

7Ø8F2C2



956000003016676

♀ 853 OG

1507

16/05
♂ 1an
1875

7Ø8D4A3



956000002957519

Ø 9700

1656

14/05

6F1EFCC

♀ 2ans
3000



956000003038206

A Ø 253 OG

1067

25/05

14 OD + jaune

♂ 8 ans

6.9.1 EGE

6000



956000003021368

dominant

Ø 977 OD

⊙ 1666

28/06



956000003015867

♀ 0ans

320g

Ø 978 OD

⊙ 1667

28/06



956000003010062

♀ 0ans

310g

Ø 979 OD

⊙ 1668

28/06



956000003009936

♀ 0ans

320g

Ø982 OG ©1669



956000003014182

28/06
♂ Oms
330g

Ø981 OG ©1670



956000003046457

28/06
♂ Oms
350g

PA

KØØ1Ø OD 1328 28/05
353 OG ved dain Økan
4025
ominante
6FDFDC Attalauke



Ø893 OG 1491 30/05
70808D vent de J. milieu Ø 2ans
3625



PA

P3

Ø852 OD 1603 14/05
74EF83E
♀ 1am
1275g



956000003018357

Ø532 OD 1602 18/05
74DE9E7
♀ 1am
1400



956000003035789

KØØ19 OD 1397 28/05
6#1F37C
♀ 3ans
3825



956000003037927

KØØØØ OD 1373 03/07
Ø9006 rose *dominate*
♀ 3ans
4525g



956000003011108

P3

2520
be fo

20 23/06

250,331 OG

1455

13:00
03/06

70721E6

♂ 2nd
3425g



956000003012914

Ø862 OD

1585

03/06

70B39A0

♀ Y
2375g



956000003015766

Ø52106

1500

03/06

708 CD79

♂ 2nd
3475g



956000003013382

Ø832 OD

1586

04/06



956000003034122

♀ 1st
2250g

023 06

1423

05/06

708BAB4

dominant

♂ ad
4275



956000003009610

0011 0D

1432

08/06

304 06 vert clair

dominante
allaitante

♀ ad
3300g

6F1F1AF



956000003031387

0985 0D

1704

06/07

♀ 0an

325g



956000003040062

0990 0D

1703

06/07

♀ 0an

300g



956000003011315

0991 0D

1706

06/07

♀ 0an

320g



956000003030001

0986 OD

01705

06/07

♀ can

315g



956000003010731

0956 OD

01707

07/07

♀ can

325g



956000003011885

T

le 19/06 11

♂♂♂ OG 1453 20/05
7♂8E1BD ♂ 2 ans



956000003023465

2600g

♂♂181 OD 1231 22/05
472 OG bleu ♂ 5 ans
dominante allouante 3250
6E1E♂78



956000003011499

♂199 OG 1516 22/05
7♂8D979 ♂ 1 an
1800



956000003013544

♂♂18 OG 1454 22/05
7♂8C7B♂ ♂ 2 ans
3100



956000003010946

A♂♂35 OG 1035 03/06
476 OD bleu clair ♂ 3 ans
dominant 3900g

ØØØ1383ØBB



Ø998 OG Ⓞ 1637

19/06
♂ 0ans
325g



Winner

Ø835 ED Ⓞ 1627

20/06
♀ 0ans
340g



Gratteur

Ø194 OG Ⓞ 1628

20/06
♂ 0ans
345g



Lecheur

U

Ø582 OG

1531

Y ♂

27/09

7Ø8D7E9

1575g



956000003015832

Ø517 OD

1540

04/06

♀ 1 an

7Ø7 2F16

1650g



956000003034399

✓

25/06



ØØ86 OG 1428 09/0
305 OD vert clair ♂ ad
dominant 3750g
GF1FEEA



956000003045453

KØØ4Ø OD 1321 11/06
396 OG vert ♀ 4 ans
dominante 3675g
GF1F750 allaitante



956000003028785

Ø821 OG 01651 26/06
♂ 0 an
385g



956000003011011

Ø863 OG 01663 28/06
♂ 0 an
390g



956000003016651

Ø992 067

⊙1979

29/05

Ø² 0a

615g



956000003042779

Ø964 067

⊙1689

01/07

Ø² 0a

385g



956000003015150

W 30/06 □

Ø 583 0D

1522

25/05

7Ø8CE76

♀ 1 an
1525



Ø 518 0G

1538

27/05

7Ø8DE7Ø

♂ 1 an
1925

Ø 516 0G

1539

28/05

7ØB1A2Ø

♂ 1 an
1825



Ø 828 0D

1551

31/05

7Ø72EØ5

♀ 1 an
1975



Ø 953 0G

③ 1682

30/06



♂ 0 an
365g

29550D

@1683

3d/06

♀ 0am
355



956000003043049

0354 0G

@1684

3o/06

♂ 0am
355



956000003037409

~~09280D~~

@1690

~~000107~~

♂ 0am

~~30835g~~



956000003039841

0941 0D

@1691

o/107

♂ 0am
380g



956000003011000

X 06/07 7

Ø 569 06

1504

24/0

7Ø8B720

Ø 2ans
3500



956000003044575

déterminant
00221 0

Ø 371 06

1503

Ø 2ans

7Ø8E1AE

Ø 2ans
3225



956000003015595

Ø 526 06

1506

Ø 2ans

7Ø8EAD2

Ø 2ans
2375



956000003012811

Ø 844 06

1593

Ø 1an

7Ø8C513

Ø 1an
1725



956000003037720

Ø 159 OD

1594
+ 23/06

8/05

♀ 1an

1675

— perdu.



956000003013926

Ø 1950D

1588

27/05

♀ 1an

1475

7Ø 8CE8B



956000003040210

Ø 3Ø4 OD

1605

11/06

♀ 3ans

3575g

7 Ø CG blanc

dominante

7Ø 8F1AB

allaitante



956000003035461

Ø 989 OD

1708

07/07

♀ 0an

355g



956000003014504

Y 1/07

ØØ5Ø OD 1414 25/05
494 OG + blanc ♀ 4 ans
7Ø8CF67 dominant 2800
allaitante



Ø9ØØ / ØØ6Ø OG 1583 26/05
♂ lan
7Ø74Ø98 1300



Ø187 OD 1571 26/05
♀ lan
7Ø88E7B 1300



KØS41 OG 1300 10/06
3 OD blanc ♂ 4 ans
6F1EØ6F dominant 412Sg



Ø 837 00

⊕ 1692

1/07



956000003009704

♀ 0 an

305g

Ø 935 00

⊕ 1693

02/07



956000003042357

♀ 0 an

310g

Ø 936 06

⊕ 1695

02/07



956000003015039

♂ 0 an

320g

Ø 937 00

⊕ 1694

02/07



956000003008985

♀ 0 an

295g

225 26106 \square 00 3020
250
Ø824 OD 1420 21/05
289 OG rose ♀ 23an
7Ø698F6 dominante 3125g
allaitante



Ø563 OD 1568 21/05
708DB2E ♀ 1an
1475g



Ø37Ø OD 1462 21/05
6F1F74E ♀ 2ans
200g

956ØØØØØ3Ø156Ø1

Ø857 OG 1463 21/05
7Ø8D6E2 ♂ 2ans
2800g



Ø508 OD

1569

23/05

♀ 1cm

1425

708BA28



956000003038439

Ø027 OG

1404

10/06

293 OD rose

dominant

♂ ad

Ø7084486

400g

Ø822 OD

⊙ 1648

26/06

♀ Dan



956000003046591

335g

Ø823 OG

⊙ 1647

26/06

♂ Dan



956000003035575

405g

Ø884 OG

⊙ 1646

26/06

♂ Dan



956000003009433

400g

FAC Com

Ø 879 OD

1577

17/05

7ØØ C44Ø

q 1cm
1300



956000003014585

Ø 568 OG

1574

16/05

7ØØ CEGB

Ø 1cm
1375



956000003021005

Ø 510 OD

1565

16/05

7Ø 6A D4F

q 1cm
1375



956000003042753

6F211B3

1403
Dominant

18/05

+ 18/05

Ø 185 OD

1581

22/05
Ø 1cm
1400

7Ø6AØ5A



956000003009944

Ø875 OG

16 ~~24~~ 25/05

4650D + bleu

♂ ad



956000003011866

4200

dominant

Ø83Ø OG Ⓞ1625

28/05

dominant?

♂ ad

3500



956000003013815

FAC

Ø8560G

1557

16/05

7Ø8F1A8

♂ 1am

1500



956000003016356

399 OD vert clair

Ø883 OG

1332

6F2Ø6EB

dominant

20/05

♂ 4ams

3750



956000003033500

KØØ44 OD

1021

19/06

397 OG vert clair

3900g

2Ø29Ø18

dominante

♀ 8ams



956000003009697

J

0626

10/06



956000003016158

♀ 1 ans
1800g

1

U+

ØS4S OD	150S	13/08
7ØB44B9	dominante allaitante	♀ ad 3825g

64